

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

THIS PAGE BLANK (USPTO)



SERIAL NO: 09/844 750
FILING DATE: APRIL 26, 2001
APPLICANT: PETER DARREN HARTLEY

#4



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.


Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

12 June 2001

THIS PAGE BLANK (USPTO)



The
Patent
Office

27APR00 E532511-7 001631
P01/7700 0.00-0010185.7

1/77

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form.)

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

Fee: £0

1. Your reference	RCA/41465		
2. Patent application number (The Patent Office will fill in this part)	26 APR 2000	0010185.7	
3. Full name, address and postcode of the or of each applicant (<u>underline all surnames</u>)	ANT LIMITED 20 Cambridge Place CAMBRIDGE CB2 1NS United Kingdom		
Patents ADP number (if you know it)	07884216001		
If the applicant is a corporate body, give the country/state of incorporation	United Kingdom		
4. Title of the invention	IMPROVEMENTS RELATING TO COMPUTER SYSTEMS		
5. Full name, address and postcode in the United Kingdom to which all correspondence relating to this form and translation should be sent	Reddie & Grose 16 Theobalds Road LONDON WC1X 8PL		
Patents ADP number (if you know it)	91001		
6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application (If you know it)	Date of filing (day/month/year)
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing (day/month/year)
8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))	YES		

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document.

Continuation sheets of this form

Description

11

Claim(s)

1

Abstract

1

Drawing(s)

5 + 5

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

1

Request for preliminary examination and search (*Patents Form 9/77*)

1

Request for substantive examination (*Patents Form 10/77*)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.

Signature

R C Abnett

Date

26 April 2000

12. Name and daytime telephone number of person to contact in the United Kingdom

R C ABNETT

020 7242 0901

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Statement of inventorship and of right to grant of a patent

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference	RCA/41465	
2. Patent application number (if you know it)	26 APR 2000	0010185.7
3. Full name of the or of each applicant	ANT LIMITED	

4. Title of the invention	IMPROVEMENTS RELATING TO COMPUTER SYSTEMS
---------------------------	---

5. State how the applicant(s) derived the right from the inventor(s) to be granted a patent	By virtue of the inventor's employment by the Applicants
---	--

6. How many, if any, additional Patents Forms 7/77 are attached to this form? (see note (c))	0
---	---

7.	I/We believe that the person(s) named over the page (and on any extra copies of this form) is/are the inventor(s) of the invention which the above patent application relates to.
----	---

Signature 	Date 26 April 2000
---	-----------------------

8. Name and daytime telephone number of person to contact in the United Kingdom	RICHARD C ABNETT 020 7242 0901
---	-----------------------------------

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there are more than three inventors, please write the name and addresses of the other inventors on the back of another Patents Form 7/77 and attach it to this form.
- d) When an application does not declare any priority, or declares priority from an earlier UK application, you must provide enough copies of this form so that the Patent Office can send one to each inventor who is not an applicant.
- e) Once you have filled in this form you must remember to sign and date it.

Enter the full names, addresses and postcodes of the inventors in the boxes and underline the surnames

Peter Darren HARTLEY
c/o Ant Limited
20 Cambridge Place
CAMBRIDGE
CB2 1NS
United Kingdom

07884224001

Patents ADP number (if you know it)

Patents ADP number (if you know it)

Reminder

Have you signed the form?

Patents ADP number (if you know it)

IMPROVEMENTS RELATING TO COMPUTER SYSTEMS

Background of the Invention

This invention relates to computer systems.

Existing software application programs, such as web
 5 browsers, e-mail clients, and electronic programme guides
 for example, are frequently written so as to be capable of
 being executed on a number of different target platforms.
 The characteristics of the target platforms vary, due for
 example to the use of different processors, different
 10 operating systems, or different hardware such as display
 devices.

In order to adapt such application software to run on
 a new target platform it has been necessary to review and
 amend the software thoroughly. This requires:

- 15 (a) locating and addressing all aspects of the software
 code that are specific to a particular processor;
- (b) locating and addressing all aspects of the software
 code that are specific to a particular operating
 system; and
- 20 (c) locating and addressing all aspects of the program
 that are specific to a particular visual product
 styling.

The "addressing" operation here referred to can be
 performed as follows. Each time a new processor, operating
 25 system or visual product styling is encountered, the
 source code is extended so as to include variants of those
 sections of the code that are specific to the target
 platform. This type of extension may use a technique

called "conditional compilation". In this technique, the compiler chooses one alternative from a number of options within the application program source code and generates program instructions in accordance with the chosen option.

5 However, this rapidly leads to unwieldy code that is difficult to maintain and test.

Figure 1 shows a known type of system which is designed for use with a so-called feature-rich platform, namely one which includes features such as font rendering, window management, and a widget set, whether in the
10 operating system itself or in native libraries. The term widget set is a term used by those in the art to describe a collection of interface or display components defining, for example, how a button will look on the computer
15 display device. The system 10 therefore comprises an application program 12 which is connected to a portability layer 16. The portability layer 16 uses a native layer 18 associated with the operating system 20 which runs on specified hardware 22 incorporating a particular processor
20 for example. A frame buffer 24 is also accessible to the operating system 20 and to the native library 18 and provides a display memory. This system maps application requests and commands directly to the operating system associated facilities or features as determined by the
25 native portability library 18. The terms 'portability layer' and 'native library' are well-known to those in the art.

Figure 2 shows another known type of system which is designed for use with a so-called feature-sparse platform, namely one in which features such as font rendering,
30 window management, and a widget set are not present. The system 30 therefore comprises an application program 32

which is connected to a portability layer 36. The portability layer 36 uses an application-provided portability library 38 which is associated with the application program 32, in contrast to the native library 18 of Figure 1 which is associated with the operating system. The application provided portability layer 38 is coupled to a frame buffer 40 which is in turn coupled to the operating system 42 running on hardware 44.

The system 30 of Figure 2 always maps to the application-provided portability library's own facilities or features.

The above approaches tie together the product styling, core application, and target-specific aspects. This makes it impossible to develop product styling prior to execution on the target platform. The known approaches thus suffer from the disadvantages that adapting the core application to a new target platform is an involved and time-consuming process, and that a particular visual product styling can only be executed on a specific target platform.

Summary of the Invention

The invention is defined in the independent claims below to which reference should now be made. Advantageous features are set forth in the appendant claims.

A preferred embodiment of the invention is described in more detail below and takes the form of a computer system comprising hardware, an operating system, and application programs which makes function calls on the operating system, and which includes a portability layer which directs the calls to components of a native library associated with the operating system, if such components

exist, or otherwise directs the calls to components of a special portability library. In this way the application can very easily be adapted or ported to run on either a feature-rich platform or a feature-sparse platform, that is a platform with a feature-rich or feature-sparse operating system, respectively.

Brief Description of the Drawings

The invention will be described in more detail by way of example with reference to the accompanying drawings, in which:

Figure 1 (described above) is a block schematic diagram showing the architecture of a first known computer system;

Figure 2 (described above) is a block schematic diagram showing the architecture of a second known computer system;

Figure 3 is a block schematic diagram showing the architecture of a preferred computer system embodying the invention when being adapted for a particular environment;

Figure 4 is a block schematic diagram showing the architecture of a preferred computer system embodying the invention when a given application program is running; and

Figure 5 shows the portability library of the computer system of Figure 4 in more detail.

Detailed Description of the Preferred Embodiment

A preferred computer system will now be described with reference to Figure 3, which illustrates the system architecture.

The computer system 50 comprises an application program 54 coupled to a presentation and styling section

56. The presentation and styling section is also coupled to a visual styling library 58, and a portability layer 60 communicates with the application program 54, the presentation and styling section 56, and the visual styling library 58. The visual styling library provides facilities for the graphical appearance of different elements, such as buttons, toolbars, dialog boxes, and windows, apart, of course, from their content, while the presentation and styling section 56 defines which of the available facilities are currently being used. The portability layer 60 selectively communicates with two libraries. The first is a native library 62 which is associated with the operating system and corresponds with the native library 18 in Figure 1. The second is a special portability library 64 which is associated with the application program and broadly corresponds with the application-provided portability library 38 of Figure 2. The special portability library 64 is coupled to a frame buffer 66.

The operating system 68 thus communicates with the native library 62 and through the frame buffer 66 with the special portability library 64. The hardware 70 is also shown in Figure 3.

In setting up the system of Figure 3 for operation in a particular environment, the programmer selects features from the native library 62 and special portability library 64. That is to say, for some features the portability layer 60 will map calls to the native library 62 and for other features the portability layer will map calls to the special portability library 64. By using a dynamic combination of features, maximum flexibility is provided

to the programmer to set the system up very easily for any given operating system and hardware platform.

The application 54 and the user interface, including the presentation and styling section 56, positioned above
5 the portability layer 60, are not aware of where particular facilities come from.

Figure 4 shows a completed implementation of the computer system when the application program is in use. The computer system 80 illustrated includes an application
10 core 54 which in this case comprises two application programs, namely a web browser 54A and an e-mail client 54B. To the application core is connected a presentation and styling section 56, constituting a graphics user interface (GUI). A visual styling library 58 is also
15 connected to the presentation and styling section 56.

A portability library 90 is coupled to the application core 54, the visual styling library 58, and the presentation and styling section 56 by what may conveniently be referred to as a bus 88. The portability
20 library 90 consists of a portability layer 60 and a plurality of portability library components, collectively referenced 100.

The portability layer 60 acts as a multiplexer and transmits calls from the application program 54 to the
25 portability library components 100. The portability library components 100 comprise different sections for the different types of function call which may be received as described below. The portability library communicates with the operating system 68 which runs on hardware 70.

30 The above description has been given as though the various components were separate hardware components but it will be appreciated by those skilled in the art that

they, in fact, take the form of software components or modules and expressions such as "bus" should be construed accordingly.

5 The various components of the architecture will now be described in more detail.

10 The presentation and styling section 56 defines the appearance or visual "look" of the application program, that is the manner of visual presentation of buttons, entry fields, user dialogues, and other items of presentation and program logic associated with the visual user interface styling and the operation of the particular application. The presentation and styling section 56 communicates with the application core 54 from which it receives program instructions, with the visual styling library 58 on which it makes calls to obtain elements to be displayed, and with the portability layer 60, via which it receives hardware and operating system specific information and parameters, as interpreted by the portability library components 100.

20 The application core 54 is the basic program which is to be adapted to different target platforms and, as noted above, may be an Internet web browser, an e-mail client for reading or writing e-mail, or a program for viewing details of forthcoming television programmes, for example. 25 The application program will from time to time make calls on the operating system software and sends instructions to the presentation and styling section 56 to cause it to display the output of the application program.

30 The visual styling library 58 is a portable component which comprises a collection of mechanisms or elements that are useful in implementing and realizing desired visual product styling. It is portable in the sense that

it can be moved from one platform to another without modification of the source code.

5 The portability layer 60 provides a consistent interface to the application core 54, presentation and styling section 56, and visual styling library 58, regardless of changes in platform. More particularly the portability layer 60 receives non-platform specific operation requests from the application core 54, presentation and styling section 56, and library 58, over
10 the "bus" 88, and forwards them to the portability library 100.

 Figure 5 shows an example of how the portability library of Figure 4 is assembled and generated from the system of Figure 3. In this example the portability
15 library 100 comprises some functions derived from the native library 62 and other functions derived from the special portability library 64. In the example shown in Figure 5 there are the following functions:

 101 Widget set
20 102 Window manager
 103 Mouse control
 104 Networking
 105 Font rendering
 106 Bitmap plotting
25 107 Frame buffer management
 108 Memory management
 109 Timers
 110 Debug trace
 111 Image decoders

30 It will be appreciated that this list is purely exemplary and includes only a representative sample of the many functions which could be used.

As shown in Figure 5, of these eleven features, three, namely networking 104, font rendering 105 and bitmap plotting 106 are derived from the native library 62. The rest are all derived from the special portability library 64, as shown in Figure 3.

For different applications and different platforms the mix of functions and which of the libraries 62,64 they are derived from will be different. In general the portability library components will be taken from the native library 62 where the components exist in that library. However, where it is impossible, impracticable or undesirable to provide the feature from the native library 62, then the feature or function will be provided from the special portability library 64. In practice the whole special portability library 64 will remain present and the portability layer 60 acts as a multiplexer to direct a function call from the application 54 either to the native library 62 or from the special portability library 64 as appropriate for that particular function.

The portability library components 100 take operation requests from the portability layer 60 and implement them using the capabilities of the specific target platform, that is the hardware and operating system 68,70. The portability library components 100 can also make callback requests to the portability layer 60, which in turn passes them on to the presentation and styling section 56, application core 54, or visual styling library 58, as appropriate. Such requests may be to perform operations such as screen update, respond to mouse and keyboard, input and event timing, and network activity.

The portability library 90 takes operation requests from the presentation and styling section 56, application

core 54, or visual styling library 58, which are in a generic (portable) or non-system-specific format and implements them with the capabilities of the target platform being used. Conversely, the implementation sections receive 'callback' requests in a target-specific format and pass them up in a non-system-specific format. The presentation and styling section 56, application core 54, and visual styling library 58, do not perform any target-specific operations. Instead they issue requests to the portability layer 60 to have generic operations performed by the target platform. The portability layer 60 arranges for the portability library components 100 to perform operations requested by the presentation and styling section 56, application core 54, or visual styling library 58. The portability library utilises the specific capabilities of the target platform to perform the operations requested of it. The portability library components 100 may have information to be communicated to the presentation and styling section 56, application core 54, or visual styling library 58. They perform this by issuing 'callback' requests to the portability layer 60. In turn the portability layer 60 will communicate the desired information to the presentation and styling section 56, application core 54, or visual styling library 58 as appropriate.

The application program 54 which gave rise to the function call does not know whether that call is implemented on code which comes from the native library 62 or the special portability library 64.

The hardware target platform 70 may include any type of processor such as an X86 or Pentium (RTM) or PowerPC (RTM) set top box running any type of operating system

such as the Linux (RTM) or pSOS operating system. Each of the target platforms has associated with it some target specific software code to implement the generic facilities required of it. For example, these may include the

5 facilities necessary to provide memory management, timers, screen update, network access, keyboard input, mouse input, and local filing system. These are different for each of the two example target platforms. Feature-rich platforms may have many such facilities available but

10 feature-sparse platforms may have none or few such facilities available in this way. For each of two application cores 54A and 54B, namely web browser and e-mail respectively, two different visual product styling and user interface logic designs are implemented. One may

15 be directed to sophisticated and experienced users, for example, and the other at inexperienced and less sophisticated users. The latter may for instance be provided with a simpler set of facilities and more colourful graphics.

20 The systems described make it possible to transport the application program to run on a different platform very rapidly as the only changes to be made are in the assembly of the portability library 90. The application program itself is platform independent. The systems work

25 with both feature-rich and feature-sparse operating systems native libraries, simply by selecting features from the special library 64 when those features are not provided by the native library 62, but by using the native library features that are present.

CLAIMS

1. A computer system, comprising:
computer hardware including a processor;
an operating system running on the computer hardware;
5 an application program running on the operating
system and making calls to the operating system; and
a library between the application program and the
operating system, the library including a plurality of
components responsive to function calls from the
10 application program, and
wherein the library comprises components defined by a
native library associated with the operating system and
other components defined by a special portability library
associated with the application.
- 15 2. A computer system according to claim 1, further
comprising a presentation and styling section which
determined the appearance of a displayed output of the
application program.
- 20 3. A computer system according to claim 1, in which the
special portability library includes components from the
following: widget set, window manager, mouse control,
networking, font rendering, bitmap plotting, frame buffer
management, memory management, timers, debug trace, and
images.

ABSTRACT

(Fig. 3)

IMPROVEMENTS RELATING TO COMPUTER SYSTEMS

5 A computer system comprising hardware (70), an
operating system (68), and application programs (54) which
makes function calls on the operating system, includes a
portability layer (60) which directs the calls to
components of a native library (62) associated with the
operating system, if such components exist, or otherwise
directs the calls to components of a special portability
10 library (64). In this way the application can very easily
be adapted or ported to run on many different platforms
including either a feature-rich operating system or a
feature-sparse operating system.

THIS PAGE BLANK (USPTO)

1/5




FIG. 1. PRIOR ART

THIS PAGE BLANK (USPTO)

2/5




FIG. 2. PRIOR ART

THIS PAGE BLANK (USPTO)

3/5




FIG. 3

THIS PAGE BLANK (USPTO)

4/5




FIG. 4

THIS PAGE BLANK (USPTO)

5/5




Fig. 5

THIS PAGE BLANK (USPTO)